

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.





OK.

THE PLANT DISEASE REPORTER


Issued by

THE PLANT DISEASE SURVEY, DIVISION OF MYCOLOGY AND DISEASE SURVEY  
BUREAU OF PLANT INDUSTRY, SOILS, AND AGRICULTURAL ENGINEERING  
AGRICULTURAL RESEARCH ADMINISTRATION  
UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 139

INDEX TO SUPPLEMENTS 134-138, 1942

(Issued November 15, 1945)



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.







INDEX TO THE PLANT DISEASE REPORTER  
SUPPLEMENTS 134-138, 1942

Plant Disease Reporter  
Supplement 139

Index to Supplements  
1942

LIST OF SUPPLEMENTS, 1942

SPRAGUE, RODERICK. A revised check list of the parasitic fungi on cereals and other grasses in Oregon. Supplement 134: 1-36. March 1, 1942

ALTSTATT, G. E. Diseases of plants reported in Texas since 1933. Supplement 135: 37-50. June 15, 1942

ALEXANDER, L. J., RALPH E. LINCOLN, and VEDDER WRIGHT. A survey of the genus Lycopersicon for resistance to the important tomato diseases occurring in Ohio and Indiana. Supplement 136: 52-85. June 15, 1942

FISCHER, GEORGE W., RODERICK SPRAGUE, HOWARD W. JOHNSON, and JOHN R. HARDISON. Host and pathogen indices to the diseases observed on grasses in certain Western States during 1941. Supplement 137: 87-144. August 15, 1942

WIANT, JAMES S. An analysis of market inspection reports on spoilage of cantaloups and related melons. Supplement 138: 145-160. October 1, 1942

INDEX to Supplements 134-138, 1942. Supplement 139: 161-172. (Issued November 15, 1945)



## INDEX

- Abelia: 37  
 Aecidium oxalidis, 46  
 Aegilops: 3, 89  
 Agropyron: 3, 89  
 Agrostis: 5, 37, 96  
 Ailanthus: 37  
 Aira: see Deschampsia  
 Albizzia: 37  
 Albugo sp., on Ipomoea, 43  
 --- ipomoeae-panduranae, 43  
 --- occidentalis, 39, 49  
 Aleurites: 37  
 Allium: 37  
 Alopecurus: 9, 96  
 Alternaria sp., on Eschscholtzia,  
 41; Eustoma, 41; Linum, 41;  
 Lycopersicon, 44  
 --- brassicae var. microspora, 48  
 --- crassa, 41  
 --- dianthi, 41  
 --- rot, of cantaloup and other  
 melons, 148, 149, 150, 152,  
 154, 156, 157, 158, 159  
 --- solani, 39, 44, 52  
 --- tenuis, 39, 45, 46, 47  
 --- tomato, 45  
 Althea: 38  
 Amaranthus: 38  
 Amaryllis: 38  
 Ambrosia: 38  
 Ammophila: 9, 97  
 Ampelopsis: 38  
 Amygdalus: 38  
 Analysis of market inspection re-  
 ports on spoilage of cantaloups  
 and related melons, Suppl. 38,  
 pp. 145-160  
 Andropogon: 97  
 Anoda: 38  
 Anthracnose rot; of Honey Dew  
 melon, 157, 159  
 Anthoxanthum: 10  
 Antirrhinum: 38  
 Aphanomyces sp., on grasses, 128  
 Aphelenchoides fragariae, 41  
 Aplanobacter agropyri, 128  
 --- stewartii, 50  
 Arachis: 38  
 Aristida: 97  
 Armillaria mellea, 39, 48  
 Arrhenatherum: 10, 97  
 Ascochyta sp(p) ., on Avena 10;  
 grasses, 141  
 --- agropyrina, 141  
 --- avenae, 141  
 --- elymi, 141  
 --- graminicola, 10, 141  
 --- --- var. brachypodii, 20, 25,  
 27, 141  
 --- --- var. diedickeana, 12, 141  
 --- --- var. holci, 28, 32  
 --- lolii, 25, 141  
 --- meliloti, 45  
 --- (Septoria) spartinae, 141  
 --- stipae, 141  
 Ascospora graminis, 4  
 Aspergillus sp., on Allium, 37  
 --- flavus, 44  
 --- luteo-niger, 44  
 --- nidulans 37, 44  
 --- ochraceus, 44  
 --- tamaris, 44  
 --- terreus, 44  
 Aster yellows (virus), on Daucus,  
 41  
 Astragalus: 38  
 Atriplex: 38  
 Avena: 10, 38, 97  
 Azalea: 38  
 Baccharis: 38  
 Bacillus carotovorus, 37  
 Bacterial soft rot, of cantaloup,  
 156, 157  
 Bacterial tip blight, of Cichorium,  
 40  
 Bacterium, see also Aplanobacter,  
 Phytonomas  
 --- sp., on Agropyron, 4; Cichor-  
 ium, 40; Elymus, 18; grasses,  
 128; Zea (leaf spot), 50  
 --- andropogoni, 43, 128  
 --- campestre, 38  
 --- coronafaciens var. atropurpur-  
 eum, 12, 13, 14, 25, 26, 128  
 --- dissolvens, 50  
 --- holci, 31, 128  
 --- holcicola, 42



- (Bacterium) medicaginis, 46  
 --- michiganense, 53  
 --- mori, 45  
 --- panici, 26  
 --- pruni, 47  
 --- punctulans, 44  
 --- solanacearum, 53  
 --- striafaciens, 11  
 --- translucens, 24, 128  
 --- tumefaciens, 38, 42, 43  
 --- vesicatorium, 39, 53  
 Bamboo (genus indet.): 12  
 Bambusa: 38  
 Barbarea: 38  
 Basidiophora entospora, 39  
 Bauhavia: 38  
 Beckmannia: 12, 98  
 Begonia: 38  
 Bends, undet. disease of grasses, 144  
 Beta: 38  
 Bignonia: 38  
 Black heart, of potato, 49  
 --- melanose, of Citrus, 40  
 Boerhaavia: 38  
 Botryosphaeria ribis, 41, 48  
 Botryosporium pulchrum, 44  
 Botrytis cinerea, 44  
 --- douglasii, 47  
 Bouteloua: 98  
 Brachypodium sylvaticum: 98  
 Brassica: 38  
 Bromus: 12, 39, 98  
 Bryophyllum: 39  
 Buchloë: 39, 102  
 Bud drop of Gardenia (non-par.), 42  
 Bunchy top (virus), on Lycopersicon, 44; Solanum, 49  
 Buxus: 39  
 Calamagrostis: 15, 102  
 Calamovilfa: 102  
 Calendula: 39  
 Calico (virus), on potato, 49  
 Callicarpa: 39  
 Callistephus: 39  
 Camellia: 39  
 Canna: 39  
 Cantaloup: Alternaria rot, 148, 149, 150, 156;  
 (Cantaloup) bacterial soft rot, 156, 157; Cladosporium rot, 148, 149, 155, 156; decay and mold in carlots, 147-150, 151, 155-157, 158; Fusarium rot, 148, 149, 150, 155, 156; mold, 149, 150, 160; Phytophthora rot, 148, 149, 150; Rhizopus rot, 148, 149, 150, 156; unclassified decay, 149, 156  
 Capnodium sp., on Citrus, 40;  
 Ficus, 41  
 Capsicum: 39  
 Carlot inspections, of melons, 145-160  
 Carthamus: 39  
 Cassia: 39  
 Catalpa, 39  
 Catface, on tomato fruit, 44  
 Celosia: 39  
 Celtis: 39  
 Cenchrus: 15  
 Cephaleuros virescens, 45  
 Cephalosporium sp., on Diospyros, 41  
 --- acremonium, 50  
 Cercis: 39  
 Cercospora sp., on Cassia, 39;  
 Cucumis, 40; Fraxinus, 42;  
 Persea, 46  
 --- albomaculans, 38  
 --- antipus, 44  
 --- bolleana, 41  
 --- bromi, 14, 15  
 --- canescens, 46  
 --- circumscissa, 47  
 --- fusimaculans, 26, 137  
 --- gossypina, 42  
 --- polymorpha, 42  
 --- pustula, 38  
 --- seminalis, 39, 137  
 --- smilacina, 48  
 --- staticis, 49  
 --- subsessilis, 45  
 Cercospora sp., 29  
 --- herpotrichoides, 3, 11, 14, 24, 31, 33, 34  
 --- holci, 22  
 --- subulata, 20, 26, 137  
 Cereals: parasitic fungi in Oreg., 1



- Chamaecyparis: 39  
 Chaetomium bostrychodes, 44  
 Chalky dry rot, of rice, 46  
 Chloris: 102  
 Chlorosis, of Abelia, 37; Agrostis 37; Calendula, 39; Catalpa, 39; Citrus, 40; Lagerstroemia, 43; Ligustrum, 43; Prunus, 47; Thuja 49; Vigna, 50  
 Choanephora cucurbitarum, 41  
 Chrysanthemum: 39, 40  
 Cichorium: 40  
 Cinna: 103  
 Citrus: 40  
 Citrullus: 40  
 Cladosporium sp., on Ammophila, 9; Danthonia, 16; Solandra, 48  
 --- album, 43  
 --- fulvum, 52  
 --- herbarum, 5, 10, 15, 18, 19, 21, 28, 30, 31, 39, 137  
 --- mold, of melons, 160  
 --- pisi, 47  
 --- rot, of cantaloup and other melons, 148, 149, 150, 152, 154, 155, 156, 157, 158  
 Claviceps purpurea, 3, 4, 5, 6, 8, 9, 10, 12, 15, 16, 17, 18, 19, 22, 24, 25, 27, 29, 31, 33, 130  
 Coleosporium vernoniae, 50  
 Coleus: 40  
 Colletotrichum sp., on Bauhavia 38; Persea, 46  
 --- gloeosporioides, 39, 40, 45  
 --- graminicolum, 10, 11, 15, 16, 25, 33, 42, 137  
 --- hibisci, 42  
 --- higginsianum, 38  
 --- lineola, 43  
 --- trifolii, 45  
 --- violae-rotundifoliae, 50  
 Coniosporium shiraianum, 38  
 Coniothyrium sp., on Rosa, 48  
 --- fuckelii, 48  
 --- psammae, 15  
 Coprosma: 40  
 Core rot, of tomato, 44  
 Coreopsis: 40  
 Cortaderia: 16  
 Corticium fuciforme, 20, 21  
 (Corticium) solani, 8, 12, 21, 30  
 --- vagum, see solani  
 Coryneum sp., 47  
 Cotoneaster: 40  
 Crinkle (virus), on Rosa, 48  
 Cucumis: 40, 145  
 Cucurbita: 40  
 Cupressus: 41  
 Curly top (virus), on Amaranthus, 38; Atriplex, 38; Barbarea, 38, 39; Beta, 38; Capsicum, 39; Celosia, 39; Cucumis, 40; Dianthus, 41; Eschscholtzia, 41; Gomphrena, 42; Ipomoea, 43; Lobelia, 43, 44; Lycopersicon, 44; Nicotiana, 46; Oxalis, 46; Papaver, 46; Phaseolus, 46; Ranunculus, 47, 48; Solanum, 49; Spinacia, 49; Tropaeolum, 49; Viola, 50  
 Curvularia geniculata, 137  
 --- lunata, 46  
 --- trifolii, 138  
 Cydonia: 41  
 Cylindrosporium brassicae, 38  
 Cynodon: 41, 103  
 Cytospora chrysosperma, 47  
 Dactylis: 16, 103  
 Dahlia: 41  
 Damping-off, 40, 41  
 Danthonia: 16, 103  
 Darluca filum, 5, 6, 8, 11, 12, 13, 15, 17, 18, 20, 22, 25, 28, 30, 141  
 Datura: 41  
 Daucus: 41  
 Decay, in melon shipments, 145-160  
 Dendrophoma obscurans, 42  
 Deschampsia: 16, 103  
 Dianthus: 41  
 Didymosphaeria sp., on Ulmus, 50  
 Digitalia: 104  
 Dilophospora alopecuri, 22, 141  
 Diodia: 41  
 Diospyros: 41  
 Diplocarpon rosae, 48  
 Diplodia sp., on Allium, 37; Cucumis, 40; Sambucus, 48  
 --- natalensis, 37, 39, 40, 42, 48



- (Diplodia) rosae, 48  
 --- salicina, 48  
 --- ulmi, 40  
 Diseases of plants reported in  
 Texas since 1933, Suppl. 135,  
 pp. 37-50  
 Distichlis: 16, 104  
 Dolichos: 41  
 Dothidella aristidae, 17, 130  
 Dothiorella ribis, 41  
 Dwarf (virus), on Echinochloa, 41  
 --- (virus ?), on Oryza, 41  
  
 Echinocereus: 41  
 Echinochloa: 16, 41, 104  
 Elymus: 16, 104  
 Entomosporium maculatum, 47  
 Eutyloma crastophilum, 28, 30  
 --- irregulare, 28, 29  
 --- oryzae, 46  
 Epichloë typhina, 130  
 Epicoccum sp., 17  
 --- asterinum, 50  
 --- neglectum, 35  
 --- nigrum, 45  
 --- purpurascens, 3, 31  
 Eragrostis: 109  
 Erigeron: 41  
 Erysiphe cichoracearum, 50  
 --- graminis, 4, 5, 6, 9, 10, 11,  
 12, 14, 16, 17, 23, 24, 28, 29,  
 30, 31, 33, 130  
 --- lagerstroemiae, 43  
 --- polygoni, 46  
 Eschscholtzia: 41  
 Eucalyptus: 41  
 Euonymus: 41  
 Eustoma: 41  
 Eutypella stellulata, 45  
 Exobasidium sp., 39  
 --- vaccinii, 38  
 Exophoma magnoliae, 45  
  
 Fern leaf (virus), of Lycopersi-  
 con, 44. See also Mosaic,  
 fern leaf  
 Festuca: 19, 109  
 Ficus: 41  
 Filiform leaf (virus), on Lyco-  
 persicon, 44  
 Fluminea, 21  
  
 Fragaria: 41, 42  
 Fraxinus: 42  
 Fruit mottle, of tomato, 44  
 Fruit pox, of tomato, 44  
 Fumago sp., 43, 49  
 --- vagans, 42, 43  
 Fusarium sp., on Allium, 37;  
 Astragalus, 38; Festuca, 21;  
 Gladiolus, 42; Lilium, 43; Ly-  
 copersicon, 44; Paspalum, 46;  
 Poa, 29, 139  
 --- avenaceum, 16, 17, 18, 138  
 --- bulbigenum var. lycopersici,  
 52  
 --- culmorum, 3, 8, 10, 11, 14,  
 23, 24, 25, 28, 31, 33, 34, 35,  
 138  
 --- equiseti, 33  
 --- graminearum, 138  
 --- lateritium, 45  
 --- limonis, 40  
 --- martii var. minus, 40  
 --- moniliiforme, 42, 46, 138  
 --- nivale, 8, 21, 30  
 --- --- var. majus, 8  
 --- oxysporum, 3, 8, 10, 33  
 --- poae, 10, 11, 138  
 --- rot, of melons, 148, 149,  
 150, 152, 154, 155, 156, 157,  
 159  
 --- scirpi, 138  
 --- --- var. acuminatum, 31, 33,  
 138  
 --- --- var. compactum, 139  
 --- semitectum, 40, 46  
 --- spinaciae, 49  
 --- sporotrichoides, 139  
 --- stem and foot rot, of Chrys-  
 anthemum, 39  
 --- sulphureum, 49  
 Fusisporium rubi, 48  
  
 Gardenia: 42  
 Gastridium, 20  
 Gilia: 42  
 Gladiolus: 42  
 Gloeodes pomigena, 45, 47, 48  
 Gloeosporium sp., 46  
 --- allescheri, 43  
 --- graminum, 30  
 --- piperatum, 39



- Gloxinia: 42  
 Glyceria: 21, 111  
 Gnomonia veneta, 47  
 Gomphrena: 42  
 Gossypium: 42  
 Graphiola phoenicis, 46, 50  
 Grasses: diseases in Western States in 1941, 87-144; parasitic fungi in Oreg., 1-36  
 Guignardia bidwellii, 47  
 Gummosis, of Citrus, 40  
  
 Haywire (virus), of potato, 49  
 Helianthus: 42  
 Helminthosporium sp., on Allium, 37; Citrullus, 40; Echinocereus, 41; Gastridium, 21; grasses, 140; Lycopersicon, 44; Stenotaphrum, 49  
 --- avenae, 10, 11  
 --- dematioideum, 10  
 --- gramineum, 24  
 --- halodes, 139  
 --- inconspicuum var. buchloes, 139  
 --- monoceras, 139  
 --- poae, 30  
 --- ravenelii, 49  
 --- sativum, 10, 11, 24, 27, 31, 33, 34, 139  
 --- siccans, 25  
 --- stenacrum, 8  
 --- teres, 24  
 --- triseptatum, 7, 22  
 --- tritici-repentis, 4, 18  
 --- turcicum, 35, 139  
 --- vagans, 28, 30, 139  
 Hendersonia sp., on grasses, 7, 16, 20, 21, 141  
 --- calamovillae, 141  
 --- crastophila, 141  
 --- culmicola var. intermedia, 28  
 --- --- var. minor, 7, 16, 20  
 --- culmiseda, 16  
 --- simplex, 141  
 Hesperochloa: 22, 112  
 Heterodera marioni, 38, 39, 41, 42, 43, 45, 46, 47, 50  
 Heterosporium sp., on Bromus, 12  
 --- avenae, 11, 18, 140  
 --- magnoliae, 45  
 (Heterosporium) phlei, 27, 140  
 Hibiscus: 42  
 Hicoria: 42  
 Hierochloë: 22, 112  
 Hilaria: 112  
 Holcus: 22, 42, 43, 112  
 Honey Ball melon: Cladosporium rot, 152, 154; decay and mold in carlots, 150-155, 157; Fusarium rot, 152, 154; mold, 153; Rhizopus rot, 152, 154  
 Honey Dew melon: Alternaria rot, 150, 152, 157, 159; anthracnose rot, 157, 159; Cladosporium rot, 150, 152; decay and mold in carlots, 150-155, 157, 158, 159; Fusarium rot, 150, 152, 157, 159; mold, 152, 153, 154, 160; Phytophthora rot, 150, 152; Rhizopus rot, 150, 152; unclassified decay, 159  
 Hordeum: 23, 112  
 Host and pathogen indices to the diseases observed on grasses in certain Western States during 1941, Suppl. 137, pp. 87-144  
 Hydrangea: 43  
 Hydrocotyle: 43  
 Hymenoclea: 43  
 Hypoderma ilicinum, 47  
  
 Ilex: 43  
 Ipomoea: 43  
 Iris: 43  
  
 Juniperus: 43  
  
 Kentia: 43  
 Koeleria: 24, 113  
 Koelreuteria: 43  
  
 Lactuca: 43  
 Lagerstroemia: 43  
 Lathyrus: 43  
 Leaf roll (? virus), on Lycopersicon, 45  
 Lecanosticta acicola, 47  
 Lepachys: 43  
 Leptothyrium pomi, 45  
 Lespedeza: 43  
 Ligustrum: 43



Lilium: 43  
 Linum: 43  
 Lobelia: 43, 44  
 Lolium: 24, 44, 114  
 Lonicera: 44  
 Lupinus: 44  
 Lycopersicon (Lycopersicum):  
   survey for resistance to diseases, 51-85  
   --- esculentum: new diseases in Texas, 44, 45  
 Lysimachia: 45  
  
 Macrophoma sp., on Agrostis, 8  
   --- cupressi, 41  
   --- magnifructa, 47  
 Macrophomina phaseoli, 46, 50, 141  
 Macrosporium sp., on Coprosma, 40  
   --- carotae, 41  
   --- cucumerinum, 40  
   --- helminthosporioides, 49  
   --- porri, 37  
   --- puccinioides, 43  
 Magnolia: 45  
 Malus: 45  
 Malvaviscus: 45  
 Market inspections, of melons, 145-160  
 Mastigosporium cylindricum, 15  
   --- rubricosum, 5, 6, 7, 8, 9, 16, 33, 140  
 Matthiola: 45  
 Medicago: 45  
 Melampsora lini, 43  
 Melia: 45  
 Melica: 26, 114  
 Melilotus: 45  
 Melon (see also cantaloup, Honey ball, Honey Dew): Alternaria rot, 152, 154, 157, 158; Cladosporium mold, 160; Cladosporium rot, 152, 154, 157, 158; decay, importance of, 160; Fusarium rot, 152, 154; mold, 153, 154, 160, importance of 160; Phytophthora rot, 152, 154, 157, 158; Rhizopus rot, 152, 154, 157, 158; spoilage in transit, 145-160;

(Melon) unclassified decay, 158  
 Michel's grass: 114  
 Milky leaf (undet.) of tomato, 45  
 Molds, in melon shipments, 145-160  
 Morenoella quercina, 47  
 Morus: 45  
 Mosaic (virus), on Amaranthus, 38; Beta, 38; Brassica, 38; Calli- carpa, 39; Capsicum, 39; Eri- geron, 41; Ficus, 41; Lilium, 43; Nicotiana, 46; Rosa, 48; Thyella, 49  
   ---, crinkle, on Physalis, 46; Vigna, 50  
   ---, fern leaf, on Amaranthus, 38  
   ---, tobacco, common, on Lycoper- sicon, 52  
   ---, yellow, on Phaseolus, 46  
 Mosaics (viruses), on Lycopersi- con, 45; Phytolacca, 46; Solan- um, 49  
 Muhlenbergia: 26, 115  
 Musa: 46  
 Mycosphaerella sp., on Festuca, 19  
   --- caryigena, 42  
   --- dendroides, 42  
   --- rosicola, 48  
   --- tassiana, 15, 29  
   --- tulasnei, 12, 20, 24, 27, 33, 34, 131  
 Myrothecium sp., on Lycopersicon, 44  
   --- roridum, 38, 45  
  
 Nandina: 46  
 Nematodes, on Citrus seedlings, 40  
 Nicotiana: 46  
  
 Oidium sp., on Lagerstroemia, 43  
 Ophiobolus graminis, 10, 11, 13, 19, 20, 22, 24, 33  
 Ophiodothella vaccinii, 50  
 Oryza: 46  
 Oryzopsis: 26, 115  
 Ovularia lolii, 25  
   --- pulchella, 8, 10, 19, 20, 22, 24  
 Ovulinia azaleae, 38  
 Oxalis: 46



- Panicum: 26, 46, 115  
 Papaver: 46  
 Paspalum: 46  
 Pathogen index to grass diseases  
   in Western States in 1941, 87-  
   127  
 Pelargonium: 46  
 Penicillium sp., on Allium, 37;  
   Citrus, 40; Lilium, 43;  
   Triticum, 33  
 Peridermium carneum, 47  
 Peronospora trifoliorum, 45  
 Persea: 46  
 Pestalozzia sp., on Lycopersicon  
   44; Picea, 47  
   --- funerea, 39, 47, 48, 49  
   --- guepini, 43, 45  
   --- rosae, 48  
   --- uvicola, 42  
 Phaeoseptoria sp., on grasses, 8,  
   16, 20, 27  
 Phalaris: 26, 116  
 Phaseolus: 46  
 Philadelphus: 46  
 Phleospora maculans, 45  
 Phleum: 27, 116  
 Phlyctaena linicola, 43  
 Phoenix: 46  
 Phoma destructiva, 44  
   --- herbarum, 43  
   --- persicae, 38  
   --- subvelata, 40  
   --- terrestris, 142  
 Phomopsis sp., on Quercus, 47  
   --- incarcerationata, 48  
 Phragmidium sp., on Rosa, 48  
   --- americanum, 48  
   --- rosae-setigeræ, 48  
 Phragmites: 27, 117  
 Phycomycete indet., on grasses,  
   6, 7, 8, 9, 10, 12, 16, 18, 21,  
   28, 29, 30  
 Phyllachora sp., on Distichlis,  
   131; Muhlenbergia, 26  
   --- sylvatica, 19, 20, 131  
   --- vulgata, 131  
 Phyllactinia corylea, 18  
 Phyllosticta sp., on grasses,  
   21, 142  
   --- anthoxanthella, 10  
   --- armeriae, 49  
   (Phyllosticta) gossypina, 42  
   --- opaca, 43  
   --- owensii, 16  
   --- sorghina, 42, 142  
 Phymatotrichum omhivorum, 37, 38,  
   41, 43, 46, 47, 48, 49  
 Physalis: 46  
 Physalospora obtusa, 40, 48  
 Physoderma zeae-maydis, 35  
 Phytolacca: 46  
 Phytonomas (see also Bacterium)  
   --- rhizogenes, 48  
 Phytophthora sp., on Agropyron,  
   128; Lolium, 25; Poa, 30  
   --- parasitica, 40, 44  
   --- root rot, of Citrus, 40  
   --- rot of cantaloup and other  
   melons in transit, 148, 149,  
   150, 152, 154, 157, 158  
 Picea: 47  
 Pinus: 47  
 Piricularia grisea, 37, 140  
   --- oryzae, 46  
 Pisum: 47  
 Plant diseases in Texas, 37  
 Plasmopara halstedii, 42  
 Platanus: 47  
 Pleospora sp., on Danthonia, 16  
   --- karstenii, 30  
 Pleuropogon: 27  
 Plumbago: 47  
 Poa: 27, 117  
 Poinciana: 47  
 Polyanthes: 47  
 Polypogon: 30, 122  
 Populus: 47  
 Pratylenchus pratensis, 38, 39,  
   42, 46, 49  
 Prunus: 47  
 Psedera: 47  
 Pseudodiscosia avenae, 10, 11  
 Pseudotsuga: 47  
 Pseudovalsa sigmoidea, 47  
 Puccinellia: 31, 122  
 Puccinia sp., on Anoda, 38  
   --- amphigena, 133  
   --- anomala, 23, 24, 133  
   --- arachidis, 38  
   --- aristidae, 17, 133  
   --- bartholomaei, 133  
   --- cockerelliana, 133  
   --- coronata, 5, 6, 7, 8, 9, 11,



(*Puccinia coronata*) 12, 15, 19, 21, 22, 25, 33, 44, 133  
 --- *crandallii*, 19, 20, 21, 22, 133  
 --- *cynodontis*, 133  
 --- *distichlidis*, 133  
 --- *eatoniae*, 133  
 --- *ellisiana*, 133  
 --- *glumarum*, 3, 5, 12, 14, 18, 23, 24, 31, 32, 33, 34, 133  
 --- *graminis*, 4, 6, 7, 9, 10, 11, 12, 16, 17, 18, 19, 20, 22, 23, 24, 25, 29, 31, 33, 34, 138  
 --- --- *var. avenae*, 10, 11  
 --- --- *var. phlei-pratensis*, 27  
 --- *hordei*, 23, 135  
 --- *hydrocotyles*, 43  
 --- *iridis*, 43  
 --- *kansensis*, 135  
 --- *koeleriae*, 24, 135  
 --- *luxuriosa*, 32  
 --- *magnusiana*, 135  
 --- *malvacearum*, 38  
 --- *monoica*, 24  
 --- *montanensis*, 4, 5, 19, 135  
 --- *pattersoniana*, 5, 32, 135  
 --- *peridermiospora*, 42, 135  
 --- *phragmites*, 27  
 --- *piperi*, 20  
 --- *poae-sudeticae*, 19, 27, 28, 29, 30, 136  
 --- *polysora*, 49  
 --- *procera*, 17, 18  
 --- *pygmaea*, 15  
 --- *rubigo-vera* 4, 5, 12, 13, 14, 15, 17, 18, 19, 22, 27, 31, 32, 136  
 --- --- *var. secalis*, 31  
 --- --- *var. tritici*, 3, 34, 35  
 --- *scaber*, 26, 136  
 --- *schedonnardi*, 137  
 --- *sessilis*, 27, 137  
 --- *simulans*, 137  
 --- *sorghii*, 43  
 --- *splendens*, 43  
 --- *stipae*, 32, 137  
 --- *vexans*, 137  
 Puff, of tomato fruit, 45  
*Pyracantha*: 47  
*Pyrus*: 47  
*Pythium* sp., on *Antirrhinum*, 38;

(*Py* ... *Lycopersicon*, 44  
 --- *aristosporum*, 128  
 --- *arrhenomanes*, 42, 128  
 --- *butleri*, 50  
 --- *debaryanum*, 129  
 --- *irregulare*, 129  
 --- ? *periillum*, 129  
 --- ? *proliferum*, 129  
 --- *ultimum*, 139

*Quercus*: 47

*Ramularia celtidis*, 39

*Ranunculus*: 47, 48

Resistance, in *Lycopersicon* to tomato diseases, 51-85

Revised check list of the parasitic fungi on cereals and other grasses in Oreg., Suppl. 134, pp. 1-36

*Rheum*: 48

*Rhizoctonia* sp., on *Dolichos*, 41; *Lycopersicon*, 44; *Spinacia*, 49; *Thuja*, 49

--- *crocorum*, 42, 43, 46, 48

--- *solani*, 6, 7, 8, 11, 12, 18, 20, 22, 23, 24, 27, 30, 34, 35, 38, 40, 49, 144

*Rhizopus nigricans*, 44

--- rot, of cantaloup and other melons in transit, 148, 149, 150, 152, 154, 156, 157, 158

*Rhus*: 48

*Rhynchospora*: 48

*Rhynchosporium* sp., on *Alopecurus*, 9

--- *orthosporum*, 6, 16, 18, 25; 140

--- *secalis*, 4, 5, 6, 18, 23, 24, 25, 31, 140

*Rhytisma ilicicola*, 43

*Rivina*: 48

*Robillarda agrostidis*, 9

*Rosa*: 48

*Rotylenchus multicinctus*, 46

*Rubus*: 48

Rust (undet. aecidia), on *Canna*, 39

*Sacidium ulmi-gallae*, 50

*Salix*: 48



- Sambucus: 48  
 Scaly bark (virus), of Citrus, 40  
 Schedonnardus: 122  
 Schizachne: 122  
 Schizanthus: 48  
 Sclerospora graminicola, 130  
 Sclerotinia fructicola, 47  
   --- minor, 44  
   --- sclerotiorum, 45  
 Sclerotiopsis concava, 48  
   --- lythri, 48  
 Sclerotium sp., on grasses, 144;  
   on Tragia, 49  
   --- bataticola, 37, 38, 40, 42,  
     50  
   --- rhizodes, 144  
   --- rolfsii, 37, 40, 43  
 Scolecotrichum graminis, 4, 5, 6,  
   7, 9, 10, 12, 13, 14, 16, 17,  
   18, 19, 21, 22, 24, 25, 26, 27,  
   28, 29, 31, 32, 140  
   --- maculicola, 27  
 Scolochloa: 122  
 Scribneria: 31  
 Secale: 31, 114 (Michel's grass),  
   123  
 Seedling blight, undet., of  
   grasses, 144  
 Selenophoma sp., on grasses, 142  
   --- bromigena, 142  
   --- donacis, 18, 142  
   --- --- var. (unnamed), 142  
   --- --- var. stomaticola, 4, 16,  
     26, 27, 29, 32  
   --- passerinii, 32  
 Senecio: 48  
 Septobasidium sp., on Ulmus, 49  
   --- sydowii, 39  
 Septogloeum oxysporum, 7, 10, 137  
 Septoria sp., on Agrostis, 7;  
   Citrus, 40; Cletis, 39; grasses  
   143; Rosa, 48  
   --- arctica, 15  
   --- bromi, 13, 14, 142  
   --- --- var. phalaricola, 27  
   --- calamagrostidis, 6, 7, 8, 33  
   --- --- f. koeleriae, 24, 142  
   --- carthami, 39  
   --- elymi, 4, 5, 18, 142  
   --- elymi-europaei, 19  
   --- helianthi, 42  
   (Septoria) infuscans, 5, 18, 19,  
     143  
   --- jacucella, 13, 14  
   --- lycopersici, 52  
   --- macropoda, 28, 29, 143  
   --- --- var. grandis, 29, 30, 143  
   --- --- var. septulata, 28, 30,  
     143  
   --- nodorum, 21, 22, 30, 35, 143  
   --- oudemansii, 28, 30, 143  
   --- pacifica, 19, 143  
   --- passerinii, 24, 143  
   --- poliomela, 17  
   --- populi, 47  
   --- secalis var. stipae, 143  
   --- stipina, 32  
   --- tenella, 19, 20, 21, 143  
   --- triseti, 6, 7, 8, 9, 143  
   --- tritici, 34, 35  
   --- --- f. avenae, 11, 12  
   --- --- f. holci, 22  
   --- --- var. lolii, 25  
 Sequoia: 48  
 Setaria: 31, 123  
 Sitanion: 32, 123  
 Smilax: 48  
 Solandra: 48  
 Solanum: 49  
   --- tuberosum: new diseases in  
     Texas, 49  
 Sooty mold, undet., on Pinus, 47  
 Sorghastrum: 124  
 Sorghum: 32, 124  
 Soro Sporium consanguineum, 131  
   --- granulorum, 131  
   --- reilianum, 32, 35  
   --- syntherismae, 15, 131  
 Spartina: 124  
 Sphaceloma fawcettii, 40  
   --- violae, 50  
 Sphacelotheca cruenta, 42  
   --- panici-miliacei, 26  
   --- sorghi, 32, 131  
 Sphaeropsis sp., on Poa, 143  
   --- malorum, 40, 41  
 Sphaerotheca pannosa, 48  
 Sphenopholis obtusata: 125  
 Spinacia: 49  
 Spindle tuber (virus), on Solanum,  
   49  
 Splitting, of Citrus fruit, 40



- Spodopogon: 125  
 Sporobolus: 32, 49, 125  
 Spotted wilt (virus), on Amaryllis, 38; Calendula, 39; Dahlia 41; Datura, 41; Gloxinia, 42; Lactuca, 43; Lobelia, 43, 44; Lupinus, 44; Lycopersicon, 45; Matthiola, 45; Pelargonium, 46; Schizanthus, 48; Senecio, 48; Zantedeschia, 50; Zinnia, 50  
 Stagonospora sp., on grasses, 143  
 --- arenaria, 16, 18  
 --- curvula, 46  
 --- pini, 43  
 --- subseriata, 17, 19  
 Statice: 49  
 Stenotaphrum: 49  
 Stilbum cinnabarinum, 41  
 Stipa: 32, 125  
 Streak (virus), on Lycopersicon, 45; Rosa, 48  
 Suppl. 134: 1-36  
 --- 135: 37-50  
 --- 136: 51-85  
 --- 137: 87-144  
 --- 138: 145-160  
 Survey of the genus Lycopersicon for resistance to tomato diseases, Suppl. 136, pp. 51-85  
 Tamarix: 49  
 Testicularia cyperi, 48  
 Thielaviopsis basicola, 44  
 Thuja: 49  
 Thyella: 49  
 Tiarospora perforans, 19  
 Tilletia sp., on Elymus, 133; Secale, 31  
 --- airae, 17, 133  
 --- asperifolia, 26  
 --- caries, 34  
 --- elymi, 18, 133  
 --- foetida, 34  
 --- fusca, 20, 133  
 --- guyotiana, 13, 133  
 --- holci, 22  
 --- pallida, 8  
 Tip blight (virus), on Lycopersicon, 45  
 Tomato diseases, resistance in genus Lycopersicon, 51-85  
 Tribolium erythrospora, 47  
 Triagium: 49  
 Tranzschelia pruni-spinosae, 47  
 Trichoderma sp., on Allium, 37  
 Trifolium: 49  
 Tripsacum: 49  
 Trisetum: 33, 127  
 Triticum: 33  
 Tropaeolum: 49  
 Tryblidiella rufula, 40  
 Tsuga: 49  
 Tubercularia sp., on Ulmus, 50  
 --- nigricans, 38  
 Ulmus: 49, 50  
 Urocystis agropyri, 5, 15, 23, 133  
 Uromyces sp., on Trifolium, 49  
 --- beckmanniae, 12  
 --- dactylidis, 30, 137  
 --- jacksonii, 6, 7, 8, 17, 23, 31, 137  
 --- minimus, 26  
 --- minor, 49  
 --- spermacoces, 41  
 Ustilago sp., on grasses, 25, 132  
 --- arthuri, 21  
 --- avenae, 11, 12, 131  
 --- bromivora, 39  
 --- bullata, 13, 14, 15, 23, 131  
 --- crus-galli, 17  
 --- cynodontis, 41  
 --- hordei, 23, 24, 132  
 --- hypodytes, 3, 5, 17, 18, 26, 32, 33, 132  
 --- jacksonii, 132  
 --- kolleri, 11, 12  
 --- levis, see U. kolleri  
 --- longissima, 21, 22, 132  
 --- macrospora, 5, 132  
 --- mulfordiana, 20, 132  
 --- neglecta, 132  
 --- nuda, 24  
 --- perennans, 10  
 --- residua, 16, 132  
 --- sitanii, 32, 132  
 --- striaeformis, 4, 5, 6, 7, 8, 9, 22, 25, 27, 132  
 --- tritici, 34, 35  
 --- zeae-mays, 35  
 Vaccinium: 50



Valsaria insitiva, 39  
 Vermicularia sp., on Dianthus, 41  
 --- dematium, 44  
 --- herbarum, 41  
 Vernonia: 50  
 Verticillium albo-atrum, 41, 42  
 Vigna: 50  
 Viola: 50

Washingtonia: 50  
 Wisteria: 50  
 Witches' broom (undet.), on  
     Arachis, 38  
 Wojnowicia graminis, 12, 15, 24,  
     31, 34, 35, 143

Xylaria sp., 47

Yellow dwarf (virus), on Allium,  
     37, 38  
 Yellow (virus), on Ampelopsis,  
     38; Lycopersicon, 45; Solanum,  
     49  
 Yucca: 50

Zantedeschia: 50  
 Zea: 35, 50  
 Zinnia: 50







